

Table 1.9
SEER Incidence and U.S. Mortality Trends by Primary Cancer Site and Sex
Blacks, 1998-2007

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
All Sites	-1.4*	-2.4*	-0.4			
Oral Cavity & Pharynx:	-3.1*	-4.1*	-1.2			
Lip	-	-	-			
Tongue	-2.9*	-3.3*	-1.8			
Salivary gland	0.6	-3.5	4.3			
Floor of mouth	-9.7*	-11.0*	-			
Gum & other oral cavity	-3.9	-7.2*	0.5			
Nasopharynx	-0.3	-	-			
Tonsil	-4.0*	-3.6*	-			
Oropharynx	0.9	0.8	-			
Hypopharynx	-3.1	-3.3	-			
Other oral cavity & pharynx	-	-	-			
Digestive System:	-1.1*	-1.4*	-0.9*			
Esophagus	-4.6*	-4.5*	-4.8*			
Stomach	-2.6*	-2.1*	-3.2*			
Small intestine	-1.8	-3.1	-1.2			
Colon & Rectum:	-1.8*	-2.3*	-1.5*			
Colon	-2.1*	-2.7*	-1.8*			
Rectum	-0.8	-1.1	-0.4			
Anus, anal canal & anorectum	3.6	3.2	4.2*			
Liver & intrahep. bile duct:	3.6*	3.6*	3.0*			
Liver	4.2*	4.3*	3.4*			
Intrahepatic bile duct	-4.2	-	-			
Gallbladder	1.5	-	0.7			
Other biliary	3.3*	1.8	4.4*			
Pancreas	0.3	-0.7	1.2			
Retroperitoneum	-2.5	-	-			
Peritoneum, omentum & mesentery	-	-	-			
Other digestive system	4.6	-	-			
Respiratory System:	-2.2*	-3.4*	-0.7			
Nose, nasal cavity & middle ear	-0.5	-	-			
Larynx	-3.4*	-3.2*	-4.0			
Lung & bronchus	-2.2*	-3.4*	-0.5			
Pleura	-	-	-			
Trachea & other respiratory organs	-	-	-			
Bones & joints	0.2	-1.2	2.1			
Soft tissue (including heart)	1.2	-1.1	2.4			
Skin (excl. basal & squamous):	-1.2	-4.3	1.5			
Melanoma of the skin	-2.8	-5.3*	-			
Other non-epithelial skin	-0.1	-3.4	2.9			
Breast	-0.4	-	-0.3			
Breast (<i>in situ</i>)	1.5*	-	1.5*			

- ^a The APC is the Annual Percent Change over the time interval.
SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia). Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.
Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- * The APC is significantly different from zero (p<.05).
- Statistic could not be calculated. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.9 - continued
SEER Incidence and U.S. Mortality Trends by Primary Cancer Site and Sex
Blacks, 1998-2007

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
Female Genital System:	-0.6	-	-0.5			
Cervix uteri	-5.2*	-	-5.1*			
Corpus uteri	1.4	-	1.5			
Uterus, NOS	-	-	-			
Ovary ^c	-0.4	-	-0.2			
Vagina	-1.2	-	-0.9			
Vulva	0.2	-	0.4			
Other female genital system	-1.2	-	-1.3			
Male Genital System:	-2.8*	-3.0*	-			
Prostate	-2.8*	-3.1*	-			
Testis	-2.2	-2.3	-			
Penis	-	-	-			
Other male genital system	-	-	-			
Urinary System:	1.0*	0.7	1.3			
Urinary bladder	0.0	-0.4	0.5			
Kidney & renal pelvis	2.1*	1.9	2.2*			
Ureter	-	-	-			
Other urinary system	-	-	-			
Eye & Orbit	-	-	-			
Brain & Nervous System: ^d	-0.5	-0.6	-0.5			
Brain	-0.2	-0.6	0.3			
Cranial nerves & other nervous system	-	-	-			
Endocrine System:	6.4*	4.4*	7.1*			
Thyroid	6.7*	5.0*	7.2*			
Other endocrine & thymus	4.4*	2.3	-			
Lymphoma:	0.7	0.5	1.0			
Hodgkin lymphoma	2.5*	1.7	3.3*			
Non-Hodgkin lymphoma	0.4	0.3	0.6			
Myeloma	-0.3	-0.1	-0.6			
Leukemia:	-1.0	-1.1	-0.7			
Lymphocytic:	-0.4	0.3	-1.1			
Acute lymphocytic	2.0	1.9	1.6			
Chronic lymphocytic	-0.8	0.1	-1.5			
Other lymphocytic	-	-	-			
Myeloid & Monocytic:	-1.3	-2.3*	-0.2			
Acute myeloid	-1.2	-2.4*	-0.2			
Chronic myeloid	-1.6	-3.2	0.8			
Acute monocytic	-	-	-			
Other myeloid & monocytic	-	-	-			
Other leukemia:	-1.7	-	-			
Other acute leukemia	-	-	-			
Aleukemic, subleukemic & NOS	3.6	-	-			
Kaposi Sarcoma ^e	-4.6*	-4.6*	-			
Mesothelioma ^e	-	-	-			
Ill-defined & unspecified	-4.7*	-5.8*	-4.0*			

- ^a The APC is the Annual Percent Change over the time interval.
SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia). Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.
Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^c Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.
- ^d Due to coding changes, Brain & Nervous System mortality are no longer shown separately.
- ^e Trend not shown for mortality. Category did not exist in mortality coding until 1999.
- * The APC is significantly different from zero (p<.05).
- Statistic could not be calculated. Trend based on less than 10 cases for at least one year within the time interval.